WD Compatibility Summary

WD Drive Models: WD1003FBYX, WD2503ABYX, or WD5003ABYX
Firmware Revision: 01.01V01 or 01.01S01

The chipsets, host adapters, RAID controllers, enclosures and Operating Systems listed below have been tested with WD drives for data integrity, interoperability, and compatibility, and any special conditions observed are noted in the comments section of the list below. WD makes no warranty, implied or otherwise, regarding the compatibility, performance or reliability of these products. For optimal capability, WD recommends that the firmware version be no less than the minimum revision level shown above. For technical support, visit *support.wdc.com*.

Manufacturer	Model	Device Type	Interface Type
3Ware (now LSI)	9550SX	RAID Adapter	SATA II
	9650SE	RAID Adapter	SATA II
	9690SA-4i4e	RAID Adapter	SAS
	9690SA-4i	RAID Adapter	SAS
	9690SA-8i	RAID Adapter	SAS
	9690SA-8e	RAID Adapter	SAS
	9750-4i	RAID Adapter	SAS II
	9750-8i	RAID Adapter	SAS II
Atto	ESAS-H608	RAID Adapter	SAS II
	ESAS-H644	RAID Adapter	SAS II
	ESAS-H680	RAID Adapter	SAS II
Adaptec	1220SA	RAID Adapter	SATA II
	1420SA	RAID Adapter	SATA II
	3405	RAID Adapter	SAS
	5445	RAID Adapter	SAS
	5805	RAID Adapter	SAS
	5085	RAID Adapter	SAS
	5405	RAID Adapter	SAS
	5445z	RAID Adapter	SAS
	5805z	RAID Adapter	SAS
	5085z	RAID Adapter	SAS
	5405z	RAID Adapter	SAS
	51245	RAID Adapter	SAS
	51645	RAID Adapter	SAS
	52445	RAID Adapter	SAS
Areca	ARC1110	RAID Adapter	SATA II
	ARC1220ML	RAID Adapter	SATA II
	ARC 1280D-x8	RAID Adapter	SATA II
	ARC1300ix	RAID Adapter	SAS
	ARC1680ix-8	RAID Adapter	SAS
	ARC1680ix-24	RAID Adapter	SAS
Dell	PERC 6/E *	RAID Adapter	SAS
	PERC 6/I *	RAID Adapter	SAS
	SAS 6iR *	RAID Adapter	SAS
	PERC H200	RAID Adapter	SAS II
Highpoint	RocketRAID 2220	RAID Adapter	SATA II
	RocketRAID 2640	RAID Adapter	SAS
	RocketRAID 3220	RAID Adapter	SATA II
	RocketRAID 4310	RAID Adapter	SATA II
	RocketRAID 4311	RAID Adapter	SATA II
	RocketRAID 4320	RAID Adapter	SATA II
	RocketRAID 4321	RAID Adapter	SATA II
	RocketRAID 4322	RAID Adapter	SATA II
IBM	ServeRAID MR10m *	RAID Adapter	SAS
Intel	SRC28x	RAID Adapter	SATA II
LSI Logic	1064 *	IC	SAS
	1068 *	IC	SAS
	1064E *	IC	SAS
	1068E *	IC	SAS
	1078	IC	SAS
	2008	IC	SAS II
	2108	IC	SAS II
	300-8X	RAID Adapter	SATA II
	3041X *	RAID Adapter	SAS
	3080X *	RAID Adapter	SAS
	3442X-R *	RAID Adapter	SAS
	3800X-R *	RAID Adapter	SAS
	3801X-R *	RAID Adapter	SAS
	3041E-R *	RAID Adapter	SAS
	3081E-R *	RAID Adapter	SAS
	3442E-R *	RAID Adapter	SAS
	3801E-R *	RAID Adapter	SAS
	8204ELP *	RAID Adapter	SAS
	8308ELP *	RAID Adapter	SAS
	8480E *	RAID Adapter	SAS
	8704ELP	RAID Adapter	SAS
	8704EM2	RAID Adapter	SAS
	8708EM2	RAID Adapter	SAS
	8704ELP	RAID Adapter	SAS
	8880EM2	RAID Adapter	SAS
	84016E *	RAID Adapter	SAS
	9200-8e	RAID Adapter	SAS II
	9210-8i	RAID Adapter	SAS II
	9211-8i	RAID Adapter	SAS II
	9212-4i4e	RAID Adapter	SAS II
	9211-4i	RAID Adapter	SAS II
	9240-4i	RAID Adapter	SAS II
	9240-8i	RAID Adapter	SAS II
	9260-4i	RAID Adapter	SAS II
	9261-4i	RAID Adapter	SAS II
	9260-8i	RAID Adapter	SAS II
	9260DE-8i	RAID Adapter	SAS II
	9260-16i	RAID Adapter	SAS II
	9261-8i	RAID Adapter	SAS II
	9280-4i4e	RAID Adapter	SAS II
	9280-8e	RAID Adapter	SAS II
	9280DE-8e	RAID Adapter	SAS II
	9280-16i4e	RAID Adapter	SAS II
	9280-24i4e	RAID Adapter	SAS II

WD Compatibility Summary

WD Drive Models: WD1003FBYX, WD2503ABYX, or WD5003ABYX
Firmware Revision: 01.01V01 or 01.01S01

The chipsets, host adapters, RAID controllers, enclosures and Operating Systems listed below have been tested with WD drives for data integrity, interoperability, and compatibility, and any special conditions observed are noted in the comments section of the list below. WD makes no warranty, implied or otherwise, regarding the compatibility, performance or reliability of these products. For optimal capability, WD recommends that the firmware version be no less than the minimum revision level shown above. For technical support, visit support.wdc.com.

Manufacturer	Model	Device Type	Interface Type
LSI Logic	9280DE-24i4e	RAID Adapter	SAS II
	LSISAS2X28	Expander	SAS II
	LSISAS2X36	Expander	SAS II
Marvell	88SE9128	RAID Adapter	SATA III
PMC	PM8398	Expander	SAS
	PM8399	Expander	SAS
Promise	FastTrak SX2300	RAID Adapter	SATA II
	FastTrak SX4100	RAID Adapter	SATA II
	FastTrak TX4310	RAID Adapter	SATA II
	SuperTrax EX8300	RAID Adapter	SATA II
	SuperTrax EX16300	RAID Adapter	SATA II
	SuperTrax EX16350	RAID Adapter	SAS
	SuperTrax EX8760T	RAID Adapter	SAS II
	SuperTrak EX8650	RAID Adapter	SAS
HP	SA-E200	RAID Adapter	SAS
	SA-P212	RAID Adapter	SAS II
	SA-P400	RAID Adapter	SAS
	SA-P410/256	RAID Adapter	SAS II
	SA-P410/512	RAID Adapter	SAS II
	SA-P600	RAID Adapter	SAS
	SA-P800	RAID Adapter	SAS
	SC44Ge	RAID Adapter	SAS
AccuSys	SA6651S	System/Chassis	
AIC	RSC-3EC2-2	System/Chassis	
	RSC-3EC-SA1-2	System/Chassis	
	RSC-3E62-80R	System/Chassis	
	RCS-2A-2	System/Chassis	
	RSC-3ED2-2	System/Chassis	
	RSC-1A-2	System/Chassis	
	SSG-SBPE-2123-A1	System/Chassis	
Agami	AIS6119	System/Chassis	
Apple	Xserve	System/Chassis	
ASUS	RS520-E6	System/Chassis	
Chenbro	RM23424	System/Chassis	
CI Design	SR850	System/Chassis	
Datallegro	PN3	System/Chassis	
Dell	P800	System/Chassis	
	PE-R300	System/Chassis	
	PE-R410	System/Chassis	
	PE-R710	System/Chassis	
	PE-R900	System/Chassis	
	PE-R950	System/Chassis	
	PE-R905	System/Chassis	
	PE1950	System/Chassis	
	PE2900	System/Chassis	
	PE2950	System/Chassis	
	PE2970	System/Chassis	
	PE-T110	System/Chassis	
	PE-T410	System/Chassis	
	MD1000	System/Chassis	
	MD1120	System/Chassis	
FSC	SX40	System/Chassis	
HP	D2600	System/Chassis	
	DL380-G5	System/Chassis	
	ProLiant DL360G5	System/Chassis	
	ProLiant ML350G4p	System/Chassis	
	ProLiant ML350G5	System/Chassis	
	ProLiant ML380G6	System/Chassis	
	MSA-60	System/Chassis	
IBM	EXP3000	System/Chassis	
	S Blade Center-HS21	System/Chassis	
	Server RAID -MR10m	RAID Adapter	SAS
	ELP 3.5"	System/Chassis	
Infortrend	A12UG2421	System/Chassis	
	S16SR1030	System/Chassis	
	S16E-R1130	System/Chassis	
	A16SG2130	System/Chassis	
	S16SR1030	System/Chassis	
	S16E-R1130	System/Chassis	
	B12FG1430	System/Chassis	
	B12SJ1000S	System/Chassis	
	A24F-2430	System/Chassis	
	AA122UG2421	System/Chassis	
Intel	S5000PSL	System/Chassis	
	SR1630HGP	System/Chassis	
	SC5650UP	System/Chassis	
	SR1630BC	System/Chassis	
	SC5650DP	System/Chassis	
	SC5650BRP	System/Chassis	
	SC5600LX	System/Chassis	
	SC5600BRP	System/Chassis	
	SC5600BASE	System/Chassis	
	SC5650DP	System/Chassis	
	SC5650BRP	System/Chassis	
	SC5650WS	System/Chassis	
	SC5600BASE	System/Chassis	
	SR1600UR (1U Fixed)	System/Chassis	
	SR1600URHS (1U Hot-swap BP)	System/Chassis	
	SR2600URLX (2U Active SAS BP)	System/Chassis	

WD Compatibility Summary

WD Drive Models: WD1003FBYX, WD2503ABYX, or WD5003ABYX
Firmware Revision: 01.01V01 or 01.01S01

The chipsets, host adapters, RAID controllers, enclosures and Operating Systems listed below have been tested with WD drives for data integrity, interoperability, and compatibility, and any special conditions observed are noted in the comments section of the list below. WD makes no warranty, implied or otherwise, regarding the compatibility, performance or reliability of these products. For optimal capability, WD recommends that the firmware version be no less than the minimum revision level shown above. For

Manufacturer	Model	Device Type	Interface Type
Intel	SR2600URBRP (2U Passive BP)	System/Chassis	
	SR2500ALLXR	System/Chassis	
	SR2500ALBRPR	System/Chassis	
	SR1500ALSASR	System/Chassis	
	SC5299DP	System/Chassis	
	SC5299BRP	System/Chassis	
	SR2520SAXSR	System/Chassis	
	SR2520SAXR	System/Chassis	
	SR2520SAFR	System/Chassis	
	S5000PSLSATAR	System/Chassis	
	S5005XVNSATAR	System/Chassis	
	S5000PSLSASR	System/Chassis	
	S5000PSLROMBR	System/Chassis	
	S5000XVNSASR	System/Chassis	
	SR1560SF (Fixed)	System/Chassis	
	SR1560SF (Hot-Swap)	System/Chassis	
	SR1530HCLR	System/Chassis	
	SR1530HCLSR	System/Chassis	
	SR1530CLR	System/Chassis	
	SC5299UP	System/Chassis	
	SC5299DP	System/Chassis	
	SC5299BRP	System/Chassis	
	SR1530SH	System/Chassis	
	SR1530HSH	System/Chassis	
NEC	110EJ	System/Chassis	
	120EH	System/Chassis	
	120Ei	System/Chassis	
	120RH-1	System/Chassis	
	120RJ-2	System/Chassis	
	2410	System/Chassis	
	2510	System/Chassis	
	Express5800 GT120a	System/Chassis	
Oracle (Sun)	4500	System/Chassis	
	4540	System/Chassis	
Supermicro	SC216	System/Chassis	
	SC813TQ	System/Chassis	
	SC113	System/Chassis	
	SC833-R760	System/Chassis	
	SC743	System/Chassis	
	SC743T-R760	System/Chassis	
	SC833E1	System/Chassis	
	SC833T	System/Chassis	
	SC836EL1	System/Chassis	
	SC836EL2	System/Chassis	
	SC846E1	System/Chassis	
	836TQ	System/Chassis	
	SC933-E1	System/Chassis	
	SC933-EL2	System/Chassis	
	SC933T	System/Chassis	
TST	ESR-316	System/Chassis	
Xstore	PSG-SB-2URGEDP01	System/Chassis	
	XJ-SA13-110R	System/Chassis	
Microsoft Windows	XP Pro x32	Operating System	
	XP Pro x64	Operating System	
	Vista x32	Operating System	
	Vista x64	Operating System	
	Windows 7 x86 (RC1)	Operating System	
	Windows 7 x64 (RC1)	Operating System	
	Windows 2000 Server	Operating System	
	Windows 2000 Advanced Server	Operating System	
	Windows HPC Server 2008	Operating System	
	Server 2003 x32	Operating System	
	Server 2003 x64	Operating System	
	Server 2008 x32	Operating System	
	Server 2008 x64	Operating System	
Redhat	Enterprise Linux 3.9 x86	Operating System	
	Enterprise Linux 4.7 x86 & x64	Operating System	
	Enterprise Linux 5.3 x86 & x64	Operating System	
Solaris	Solaris 10 x86	Operating System	
Ubuntu	8.04 LTS Server	Operating System	
Novell	SuSE 9.0	Operating System	
	SuSE Enterprise Linux 10 w/ sp2 x86 & x64	Operating System	
FreeBSD	6.3	Operating System	

* These systems need to have the drive set to 3.0G/s or the Host Adapter/RAID Controller forced to 3.0G/s (Not set to "Auto-Negotiate") for full 3.0G/s operation.

2579-771613-A00 Feb 2011